

Fukuta, K.

A Study of Dip Cooling. Part IV- Heat Transfer
Coefficient and Effect of Water Temperature on
Dip Cooling.

TETSU TO HAGANE, Vol. 58, 1972, No. 11, Lec.
228, 229; p. S513, S514.

HB 8827-II

Hamada, T. et al

Investigation of the Sintering Process by Mathematical Simulation.

TETSU TO HAGANE, 1972, Vol. 58, No. 12, pp.1567
1578.

BISI 10927

Transverse Rupture Strength of High-Speed Tool Steel
Forged From Powders, by Y. Kudoh and K. Masuda.
TETSU TO HAGANÉ, Vol 58, 1972, No 12, pp 1646-1652.
HB-8934

April 73

Fukuda, M.

Controlled Rolling of Low Carbon Killed Steel.
TETSU-TO-HAGANE, 1972, Vol. 58, No. 13, p 1832
BISI 11499

Matsubara, H. et al

Investigation of Metallurgical Factors in the
Controlled Rolling of High Strength Steel
Plate Having High Toughness.

TETSU-TO-HAGANE, 1972, Vol.58, No.13, Pp.1848.

*BISI 11501

Obara, R.

The Refinement of the Microstructure of Silicon-Manganese High-Strength Steel.
TETSU-TO-HAGANE, 1972, Vol. 58, No. 13, P.1893
WISI 11500

Matsumura, T.

A Comparison of X-Ray Fluorescence and Emission
Spectrometric Analyses of Pig Iron.

TETSU TO HAGANE, Vol.58, 1972, No.14, pp.2049-

2059.

HB 8963

Hattori, T.

Study of the Diffusion of Hydrogen in Steel.
Part I. - Effect of Microstructure of AISI
4340 Steel on Diffusion of Hydrogen at Room
Temperature.

TETSU TO HAGANE, Vol.59, 1972, No.11, Lec.281
p.S567.
HB 9170

Shimazaki, T.

On the Reduction and Hardening of (Iron-Ore)
Pellets Containing Charcoal and Coke.

TETSU TO HAGANE, vol. 59, 1973, No.1, pp.17-

27.

HB 8981

Matsunaga, K.

Re-oxidation of liquid steel by air and formation
of large inclusions in continuous casting.
TETSU TO HAGANE, vol. 59, 1973, #1, pp. 72-84
HB 8982

may 73

Tsukui, H.

Chemical Analysis of Coating of Low-Carbon-
Steel Arc Welding Electrodes by Atomic Ab-
sorption Spectrophotometry.

TETSU TO HAGANE, vol. 59, 1973, No.1, pp.142-
151.

HB 8983

Fukuda, N.

Production of Titanium-Stabilized Extra-Low
Carbon Steel for Deep Drawing.

TETSU TO HAGANE, Vol. 59, 1973, No. 2, pp.231-

240.

HB 8995

Nakagawa, R.

Studies of the NRIM (Japan) Continuous Steel-
making Process.

TETSU TO HAGANE, Vol.59, 1973, No.3, pp.414-29

HB 9026

Tezuka, M. et al

Development of an Air-Gap Meter for Continuous-Casting Molds.

TETSU TO HAGANE, Vol. 59, 1973, No. 4; Lecture 83, p. S85.

HB 9096

Kawawa, T.

Fundamental Study of the Solidification of
Steel in Continuous Casting. Pt.1 - Effect of
Slope of Mold and Pouring Temperature on Soli-
dification Structure.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.76-79,
pp.S78-S81.

HB 9098

Yamada, T. et al

Fundamental Study of the Solidification of
Steel in Continuous Casting. PtIII - Thermal
Analysis of Experimental Castings.
TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.76-79,
pp.S78-S81.
HB 9098

Kawawa, T. et al.

Fundamental Study of the Solidification of
Steel in Continuous Casting. Pt.III - Center
Segregation in C.C. Slabs.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.76-79,
pp.S78-S81.

HB 9098

Umeda, Y. et al

Fundamental Study of the Solidification of
Steel in Continuous Casting. Pt.IV - Effect of
Casting Conditions on Structure and Center Se-
gregation of Slabs.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.76-79,
pp.S78-S81.

HB 9098

Mitsushima, Shozo et al

Production of Clean Steel on a Continuous Casting
Machine.

TETSU TO HAGANE, Vol. 59, 1973, No. 4; Lecture 89,
p. S91.
HB 9109

Yukitoshi, T. et al

Effect of Small Amounts of Addition Elements
on the High-Temperature Properties of Stain-
less Steels.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.99,
182, pp.S101 and S184.

HB 9143

Niimi, T. et al.

Electroslag Remelting of Stainless Steels.
TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.99,
182, pp.S101 and S184.
HB 9143

Kai, T. et al

Deoxidation Control by Various Means. Pt. II -
Deoxidation Control of Semi-killed Steel by
Means of the Oxygen-Concentration Cell.
TETSU TO HAGANE, Vol.59, 1973, No.4, Lec. 104,
105, pp.S106, S107.

HB 9168

Ikeda, T.

Effect of Rare-Earth Elements in Steel on the
Nonmetallic Inclusion Content.
TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.106,
P.S108.
HB 9173

Ichikawa, H. et al

A New Deoxidizing Technique of Liquid Steel by
Use of Aluminum: Pt. II - Deoxidation of Steel
with Use of Aluminum Bullets.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec. 107,
p.5109.

HB 9172

Kato, Ch.

Corrosion Resistance of H.F. Resistance-Weld-
ed Steel Pipe. Pt.I - Groove Corrosion (Along
the Weld) in Resistance-Welded Steel Pipe.
TETSU TO HAGANE, Vol.59, 1973, No.4, Leas.118,
119, 120, pp.S120, S122, S121.
HB 9148

Otuguro, Y.

Corrosion Resistance of H.F. Resistance-Welded Steel Pipe. Pt.II - Effect of Alloying Elements on Pitting Corrosion in H.F. Resistance-Welded Low-Alloy Steel Pipe,
TETSU TO HAGANE, Vol.59, 1973, No.4, Leccs.118, 119, 120, pp.S120, S121, S122.
HB 9148

Kato, S.

Corrosion Resistance of H.F. Resistance-Weld-
ed Steel Pipe. Pt.III - Pitting Corrosion of
Electri-Resistance-Welded Low-Alloy Steel Pipe.
TETSU TO HAGANE, Vol.59, 1973, No.4, LeCs.118,
119, 120, pp.S120, S121, S122.
NB 9148

Yamanishi, K.

Study of the Diffusion of Hydrogen in Steel.
Part II. Effect of Microstructure on the Dif-
fusion of Hydrogen in Carbon Steel at Room
Temperature.

TETSU TO HAGANE, Vol.59, 1973, No.4, Leas 130
and 131, pp.S132-and S133.

HB 9170

Nakai, Y.

Study of the Diffusion of Hydrogen in Steel.
Part III. Effect of Microstructure of Steel
on the Rate of Diffusion Therein.
TETSU TO HAGANE, Vol.59, 1973, No.4, Lecs 130
and 131, PP.S132 and S133.
HB 9170

Ikeno, T. et al

On High-Strength Steel for High Heat Input
Welding.

Pt. I - Prevention of Grain Growth in High
Heat Input Welding.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.146-
149, S148-S151.

HB 9151

Takahashi, Y.

Pt.II

High Heat input Steel Good Fusion Zones Tough-
ness Developed for One Side - One Pass Sub-
merged Arc Welding.

Pt.III. Initiation inpropagation of Brittle
Fractures in Fine Grain Fusion Zone.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.146-
149, S148-S151.

HB ~~XXXX~~ 9151

Takahashi, Y.

Fine Grained Heat Affected in High Heat Input
Welds.

TETSU TO HAGANE, V1.59, 1973, No.4, Lec.146-
149, S148-S151.

HB 9151

Kawai , M. et al

Study of 12% Chromium Steel for Steam Turbine Rotors. Part I - Effect of Tantalum and Nitrogen on Creep-Rupture Strength of 12% Cr Steel. TETSU TO HAGANE, Vol.59, 1973, No.4, Leas 169-172, pp.S171-S174.
HB 9150

Kawai, M. et al.

Study of 12% Chromium Steel for Steam Turbine
Rotors. Part II - Effect of Carbon on Creep-
Rupture Strength of 12% Cr Steel Containing
Nitrogen.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lecs 169-
172, pp.S171-S174.

HB 9150

Kawai, M. et al

Study of 12% Chromium Steel for Steam Turbine
Rotors. Part III - Heat Treatment of 12% Cr
Steel Alloyed with Tantalum and Nitrogen.
TETSU TO HAGANE, Vol.59, 1973, No.4, Leccs 169-
172, pp.S171-S174.

HB 9150

Kawai, M. et al

Study of 12% Chromium Steel for Steam Turbine Rotors. Part IV - Effect of Chemical Composition and Heat Treatment on the Long-Term Creep Rupture Strength of 12% Cr Steel.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lecc 169-172, pp.S171-S174.

HB 9150

Kubotera, H.

A Study of Continuous Annealing of Steel Sheet.

Pt.I - Effect of Pre-Cooling Rate and Overaging Temperature in Accelerated Overaging.

Pt.II - Effect of Hot Coiling upon Softening and r Values of Sheet overaged by Accelerated Cycling. Pt.III - Press Formability of Steel Sheet by Accelerated Overaging.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lecs.188, 189, 190, pp.S190, S191 and S192.

HB 9169

Habu, R. et al

Hardenability of Aluminum-Boron-Nitrogen Steels.
Pt. I - Boron Content Ensuring Good Hardenabi-
lity.

TETSU TO HAGANE, Vol.59, 1973, No.4, Leccs.210,
211, 212, pp.S212, S213, S214.

HB 9144

Habu, R. et al

Hardenability of Aluminum-Boron-Nitrogen Steels.
Pt. II - Optimum Amount of Aluminum and Boron
for Improved Hardenability.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lecs.210,
211, 212, pp.S212, S213, S214.

HB 9144

Habu, R. et al

Hardenability of Aluminum-Boron-Nitrogen Steels.
Pt.III - Hardenability Improved by a Double
Quench.

TETSU TO HAGANE, Vol.59, 1973, No.4, Leas.210,
211, 212, pp.S212, S213, S214.

HB 9144

Niim, Y.

Analysis for Sulfur in Steel by Atomic Absorption Spectrophotometric and Combustion Methods. Indirect Determination of Sulfur in Steels by Atomic Absorption Spectrophotometry. Pt.I - Effect of Fumes on the Determination of Sulfur.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.223, 221, 222, pp.S225, S223, and S224.
HB 9145

Tanaka, N. et alP

Pt.II - Effect of Carbon Content on Results of
Sulfur Analysis.

TETSU TO HAGANE, Vol.59, 1973, No.4, Leacs.223,
221, 222, pp.S225, S223, and S224.

HB 9145

Sato, K. et al

X-Ray Fluorescence Analysis of Iron Ores by
Use of a Fusion Technique.
TETSU TO HAGANE, Vol.59, 1973, No.4, Lec.228,
p.S230.
HB 9149

Niimi, Y. et al

X-Ray Fluorescence Analysis of Iron Ores and Steels. Pt. I - X-Ray Fluorescence Analysis of Trace Elements in Iron Ores Using Fused Samples.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lecs.229 and 230.

BB 9147

Kawamura, K. et al

X-Ray Fluorescence Analysis of Iron Ores and
Steels. Pt. II - Automatic Correction in X-
Ray Fluorescence Analysis of Steels.
TETSU TO HAGANE, Vol.59, 1973, No.4, Lecs. 229
and 230.

HB 9147

Takizawa, K. et al

Properties of High-Speed Steel Powder Obtained
by Rapid Quenching to Subzero.

TETSU-TO-NAGANE, Vol.59, 1973, No.4, Lec.230,
252, pp.S252-S254.

HB 9195

Okayama, A. et al

Properties of High-Speed Tool Steel Atomized
Powders.

TETSU TO HAGANE, Vol.59, 1973, No.4, Lec. 251,
p.S253.

HB 9146

Masui, A. et al

Hydrogen in Electric-Furnace Steelmaking.
TETSU TO HAGANE, Vol.59, 1973, No.4, *lec. 96*
HB 9167 *p. 598*

Kawamura, K.

Use of the Cold Nitric Acid Method in the
Analysis of Nonmetallic Inclusions in Steel.

TETSU TO HAGANE, vol. 59, 1972, No.4, pp.
2060-2066.

HB 8964

Abe, Y. et al

Segregation in Continuously-Cast High-Carbon
Steel Blooms.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lec. 82,
p. S84.

HB 9108

Watanabe, S. et al

Rolls for Continuous Casting Machines. Part I
- Growth Rate of Fatigue Cracks.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lec. 84,
85; pp. 886-887.

HB 9121

Toyoda, H. et al

Rolls for Continuous Casting Machines. Part II
- Temperature Analysis of Rolls.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lec. 84,
85; pp. 886-887.

HB 9121

Habu, Y.

Origin of the Black Spots on Sulfur Prints Taken
of Continuously-Cast Slabs.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lec. 86,
p. 888.

HB 9095

Suzuki, Y. et al

Quality Improvement of Continuously-Cast
Aluminum-Killed Steel for Cold Rolling.

TETSU TO HAGANE, Vol. 59, 1973, No. 4; Lec. 88;

p. S90.

HB 9106

Kumai, H. et al

Continuous Casting of Cold Rolling Slabs on an
Arc-Type Caster. Part II - Distribution,
Quantity, and Composition of Nonmetallic Inclusions
in Al-Si-Killed Low-Carbon Steel Slabs.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lec. 90 and
91; pp. S92-S93.

HB 9107

Kumai, H. et al

Continuous Casting of Cold Rolling Slabs on an Arc-Type Caster. Part I - Surface Defects of Cold-Rolled Low Carbon Aluminum-Silicon-Killed Steel Sheet.

TETSU TO HAGANE, Vol. 59, 1973, No. 4, Lec.

90 and 91; pp. S92-S93.

HB 9107

KIYOTA, Y.
//TAKU TO HAGARE//
---/1973, 10250, 10000,
Detection of Crack Propagation in Hydrogen-Delayed
Cracking by Use of Acoustic Emission,
p 3271, no 22500

Endo, Y.

Correction for Background in the Atomic Absorption Analysis of Iron and Steel.

TETSU TO HAGANE, Vol.59, 1973, No.6, pp.800-807.

HB 9073

Sayama, S.

Manufacture of Pre-Reduced Pellets with the Use
of Slag-Forming Materials.

TETSU TO HAGANE, Vol. 59, 1973,
No. 8, pp. 1069-1077

HB 9091

Moriyama, A.

Heat Transfer from a Water Droplet to a Hot
Steel Surface in Direct Contact.

TETSU TO HAGANE, Vol.59, 1973, No.9, pp.1245-

1250.

HB 9161

Suzuki, H.

Effect of Titanium on the Behavior of Carbon
in Alpha Iron.

TETSU TO HAGANE, Vol.59, 1973, No.10, pp.1400-
1405.

HB 9160

TAMATSU, S.
//TEESU TO HAGANE//
--/--/1973, WOOD, HOSHI,
Solidification of Steel Slabs in Continuous Casting,
Parts I and II,
pp 8376-8377, 83 838600

Yamagishi, H. et al

The Alloy Layer on Aluminized Steel Produced
by High-Temperature Heating.

TETSU TO GAGANE, Vol.59, 1973, No.11, Lec.272,
p.S548.

HB 9255

Niimi, Y.

Determination of Columbium Carbonitride in
High-Strength Steel.
TETSU TO HAGANE, Vol.59, 1973, No.11, Lec.351
p.5628.
HB 9261

Ito, K. et al

Measurements of Strain-Produced Martensite by
Use of a Vibrating Magnetometer.
TETSU TO HAGANE, Vol.59, 1973, No.11, Lec.392,
p.5669.
HB 9254

Kawai, N. et al

Heat Treatment of Nitrogen-Alloyed High-Speed
Steels Produced by Powder Metallurgy.

TETSU TO HAGANE, Vol.59, 1973, No.11, Lec.401,
p.S678.

HB 9253

Matsuo, T.

Effect of Nitrogen, Boron, and Phosphorus on the
High-Temperature Strength of 18% Cr, 10% Ni and
18% Cr, 10% Ni, Mo Austenitic Steels Containing
Trace Amounts of Titanium and Columbium.

TETSU TO HAGANE, Vol. 69, 1973,

No. 7, pp. 907-918

HB 9092

WATANABE Y.

//TETSU TO HAGNAE, //

--/--/1974, V0060, N0001

Deoxidation of liquid iron with calcium
silicide

PP 45-47 HB: 9203##

KAWAWA, T.

//TETSU TO HAGANE, //

--/--/1974, V0060, N0002

Solidifying shell thickness determined by
rivet Pin shooting on continuously cast steel
slabs

pp 206-216 HB 8742-B##

NOGI, T.
//TETSUDO HODO KAGAKU//
---/1968, V---, N0022,
The Effects of Diesel Exhaust Gas on the Body.
Report No. 1. Environmental Survey,
PP 1-25, RUC 74-~~12-0673~~
10052

YAMAZAKI, K.

//TETSUDO RODO KAGAKU//

--/--/1969, V-----, H0023,

The Effects of Diesel Exhaust Gas on the Body.

Report No. 2. An Analysis of Pulmonary Function

Tests,

pp 1-11, NTC 74-10553-06100

MSCHEELS, J.

//TEK//

--/--/1966, VC025, N0002,

The Physiological Properties of Clothing made from
Tricot Fabrics,

pp 118-121, NTC 74-11090-11B30

Agency: NBS
P.O.No. S-415488-74

~~SECRET~~
9419/1825
24 June 1974

Title: Reforme Hospitaliere

Author:-----

Source: Textes d'Interet General, Journal Officiel
71-3, December 1970, pp1-19

Language: French

Instructions: Please type double space, elite type,
photo-ready copy.

Dostal, Z.

Some Remarks on the Textile Assortment in France
TEXTIL. FRAGUE, v. 18, 1963, p. 459-460
HPC 72-11005-11E

Einsele, U.

*Studies on the mechanism of action of flameproofing
agents for cellulose fibers.*

TEXTIL-IND, Vol 72, No 12, 1970, pp 984-990

A T S 1551-GJ

bourne, F.

experience in the hot setting of completely
synthetic fibers. Part VII.

TEXTIL-PRAKIS, Vol. 12, 1957, p. 1014-1019

TC TC-12609

Fourne, F.

Experience in hot setting of completely synthetic
fibers. Part VI.

TEXTIL-PRAXIS (INTERNATIONAL), v. 12, n. 9,
p. 898-904, 1957.

TC TC-12607

Bobek, E.

Production, properties and processing
of polypropylene fibers.
TEXTIL-PRAXIS, v. 16, p. 444-447, 1961
NTC as 73-10601-11E

may 73

Senner, P.

*The behavior of the lycra (r) fiber under different
bleaching conditions*

TEXTIL-PRAXIS (INTERNATIONAL), v. 21, n. 3, 1966,

pp. 197-200

NTC 73-13147-11E

Brocher, H.

*The identification of dyestuff classes from a sample
of the dye.*

TEXTIL.-PRAXIS, Vol 21, No 4, 1966, pp 287-291

A T S 1564-GJ

HAASE, H.
//TEXTIL-PRAKIS//
---/--/1966, V0021, H-----,
Market Situation and Anticipated Synthetic Fibre
Production Trends in Germany,
pp 701-704, HHC 74-11691-11699

Lunenschloss, J.

Texturing machines. Part 1

TEXTIL-PRAXIS, Vol 23, 1968, pp 26-29

ATS 1566-GJ

Luenenschloss, J.

A new procedure for the investigation of the character of the change in length on a running synthetic fiber by thermal effect.

TEXTIL-PRAXIS (INTERNATIONAL), Vol 24, 1969, pp 443-447
NTC 73-13526-11E

Kirschner, E.

The Spindless Turbine Spinning Machine DD 200.
Applications and Recommendations for Industrial Use.
Part II

TEXTIL-PRAXIS (INTERNATIONAL), v. 25, n. 11, 1970,

p. 644-656

NYC 73-11210-11E

Mayer, D.

*The changes in length process of PA66, PA6, PES,
viscose and OAC as a function of the temperature
tension and predrawing.*

TEXTIL-PRAXIS (INTERNATIONAL), Vol 27, 1972, pp 5-9
NTC 73-13428-11E

WECKLER, G.

//TEXTIL-PRAKIS//

--/--/1972, V0027, N0002,

Development and Application on Carriers in Dyeing

Polyester Fibers,

PP 117-123, NTC 74-11010-11530

Egbers, G.

Process for spinning carpet yarns.

TEXTIL-PRAXIS (INTERNATIONAL), Vol 27, 1972, pp 329-

333,

NTC 73-13352-11E

RUTTIGER, W.

//TEXTIL PRAXIS INTERNATIONAL//

--/--/1972,V0027,NO010,

Critical Dyeing Rate, a Technological Indicator
of Time Economy and Levelness in Machine Dyeing,
pp 609-616,NTC 74-10255-11E00

Kleinhansl, E.

Viewpoints on the economy of the co-spinning process
TEXTIL PRAXIS INTERNATIONAL, V. 28, pp. 65-70, 1973
NTC 73-14068-11E

P. Perrot

Chemical textiles and inflammability.
TEXTILES CHIMIQUES, Vol 27, No 7/8, pp 20-28,

1971

NTC 72-15281-11E

mar 73

UNKNOWN
//TEXTILES CHEMISTRY //
---/1971, V0087 7/8,
Cellulose Tri: etc,
pp 20-34, NTC 11009-11888

Beckmann, W.

Calculation of optimal conditions for the dyeing of polyester

TEXTILES CHIMIQUES: RAYONNE ET FIBRES SYNTHETIQUES,

v. 28, n. 3, 1972, pp. 35-49

NTC 73-13121-11E

Breuninger, A.

Soilability of Textile Floor Coverings and Fiber
Alteration

TEXTILIA: LA RIVISTA DELLE INDUSTRIE TESSILI, v. 48,
n. 8, 1972, pp. 71-74

NTC 73-12512-11E

Bettin, Karl

Development of Textile Industry Up to 1975 Out-
lined, 13 pp.

TEXTILTECHNIK, Leipzig, Vol 24, No 1, Jan 74,
pp 17-22.

JPRS 61483

Apr 74

Manufacture of Man-Made Fibers Discussed, 24 pp.
TEXTILTECHNIK, Leipzig, Mar 74, pp 145-155.
JPRS 62496

Oct 74

JOERDER, H.
//TEXTILVEREDLUNG//
--/--/1967, V0002, W0001,
Production of Novel Textile Flat Shaped Structures
from the Melt of Thermoplastic Materials,
EP 2-2, NTC 74-11003-11830

BIGLER, N.
//TEXTILVEREDLUNG//
--/--/1967, V0002, N0003,
Microscopic Observations on Polyamide Carpet Yarns,
PP 103-113, WTC 74-1102-11B3C

Schofer, W.

Saturated Steam Shrinkage of Synthetic Fibers as
a Measure of the State of Thermosetting

TEXTILVEREDLUNG, v. 6, n. 2, 1971, p. 69-74

NTC 73-11920-11E